



PRODUCTS YOU CAN TRUSS

MSR - Spruce Pine Fir

Name	Species	Grade	Size	Bending (Fb)	Tension Parallel (Ft)	Shear Parallel (Fv)	Compression Perpendicular (Fc⊥)	Compression Parallel (Fc)	Modulus of Elasticity (E)	Modulus of Elasticity (Emin)	Specific Gravity
SPF MSR 1650f-1.5E 1	SPF	MSR 1650	Machine	1,650	1,020	135	425	1700	1,500,000	760,000	0.42
SPF MSR 2100f-1.8E 1	SPF	MSR 2100	Machine	2,100	1,575	160	525	1875	1,800,000	910,000	0.46